

80 Thompson Street North Tonawanda, NY 14120 www.aquasolcorporation.com Phone: (716) 564-8888 Fax: (716) 564-8889 Toll Free: 1-800-564-9353

Safety Data Sheet EZ Zone® Tape & EZ® Tape

Date of last revision 02/13/2019 **SECTION 1: IDENTIFICATION**

Product Identification EZ Zone® Tape & EZ® Tape

Related Part #: EZ-ZT 2.5, EZ-ZT 4.0, EZ-T 1.0, EZ-T 2.0

Chemical Product Name: Aluminum foil, acrylic adhesive, release liner

Recommended Uses: Sealing root gap during pipe welding process

In case of emergency: Aquasol Corporation

80 Thompson Street

North Tonawanda, NY 14120

(716) 564-8888

SECTION 2: HAZARD IDENTIFICATION

GHS Categories: None. This product does not contain hazardous material

Signal Word: N/A

Pictogram: N/A

Physical Hazards: N/A

Health Hazards: N/A

Environmental Hazards: N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CAS Number:

Aluminum Foil: 7429-90-5
Acrylic Adhesive: Proprietary
Release Liner: Mixture (N/A)

Components:

Compound Percent Composition by Weight

Aluminum foil 45.0% Acrylic adhesive 30.0% Release liner 25.0

SECTION 4: FIRST-AID MEASURES

N/A

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Method: Foam, dry chemical, or water

Specific Hazards: None.

Hazardous Combustion Products: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

Precautions: None

Personal Precautions: None

Environmental Precautions: N/A

Cleanup Procedures: Sweep up and remove residue.

Disposal Methods: Dispose of according to Section 13.

SECTION 7: HANDLING AND STORAGE

Handling: Use standard material handling equipment.

Storage: Store at room temperature.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA Exposure Guidelines: None. This product does not contain hazardous

materials.

ACIGH Exposure Guidelines: None. This product does not contain hazardous

materials.

Facility Consideration: N/A

Personal Protection: None required under normal conditions. If skin irritation

occurs as a result of handling, wash affected areas with soap and water and wear protective clothing to avoid

future irritation.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Silver foil with adhesive Upper Explosive Limit: N/A

on white liner

Odor: None Lower Explosive Limit: N/A Odor Threshold: Vapor Pressure: N/A N/A Vapor Density: N/A pH: N/A Freezing Point: Relative Density: N/A N/A Melting Point: Solubility in Water: N/A None Initial Boiling Point/Range: Partition Coefficient: N/A N/A Flash Point: Non-burning Auto-ignition Temperature: N/A

Evaporation Rate: N/A Decomposition Temperature: 500° F (adhesive)

Flammability: N/A Viscosity: N/A

EZ-ZT & EZ-T – Page 2

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None.

Chemical Stability: Stable under normal conditions.

Incompatible Materials: None.

Conditions to avoid: N/A

Hazardous Decomposition Products: Carbon dioxide, carbon monoxide, smoke.

SECTION 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: None.

Carcinogenic Toxicity: N/A. This product is non-toxic.

SECTION 12: ECOLOGICAL INFORMATION

Not applicable.

SECTION 13: DISPOSAL CONSIDERATIONS

Normal solid waste disposal methods are recommended.

SECTION 14: TRANSPORT INFORMATION

Avoid contact with water and rough handling. This product is neither dangerous nor hazardous and has no restrictions for air, ocean, or ground transport. There are no requirements for packaging in reference to transport regulations.

SECTION 15: REGULATORY INFORMATION

Not applicable.

SECTION 16: OTHER INFORMATION

The information contained herein is based on data considered accurate. However, to warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Regulatory information is intended to be as complete as possible. It is ultimately the user's responsibility, however, to determine state, and local laws in the use of this product. Aquasol assumes no responsibility for personal injury or property damage to users or third parties caused by the material. Such users assume all risks associated with the use of the material.